








Malleswaram Ladies' Association (R)
ACADEMY OF HIGHER LEARNING

14th Cross, Malleswaram, Bangalore – 560 003. Tel: 23462632 Email: mia_hl@yahoo.co.in, Web: www.miaahl.edu.in

4.1.1 - The Institution has adequate infrastructure and physical facilities for teaching-learning. viz., classrooms, laboratories, computing equipment, etc.


Sl. No	Particular	Links
1	Floor Plan	Click here
2	Physical facilities for teaching-learning. viz., classrooms, laboratories, computing equipment, etc.	Click here

<p>PROJECT NO. 100-100-100</p> <p>DATE: 10/10/10</p> <p>SCALE: 1/8" = 1'-0"</p> <p>PROJECT NAME: [Illegible]</p>	<p>OWNER: [Illegible]</p> <p>ARCHITECT: [Illegible]</p> <p>ENGINEER: [Illegible]</p>	<p>REVISIONS:</p> <table border="1"> <tr><th>NO.</th><th>DATE</th><th>DESCRIPTION</th></tr> <tr><td>1</td><td></td><td></td></tr> <tr><td>2</td><td></td><td></td></tr> <tr><td>3</td><td></td><td></td></tr> <tr><td>4</td><td></td><td></td></tr> <tr><td>5</td><td></td><td></td></tr> <tr><td>6</td><td></td><td></td></tr> <tr><td>7</td><td></td><td></td></tr> <tr><td>8</td><td></td><td></td></tr> <tr><td>9</td><td></td><td></td></tr> <tr><td>10</td><td></td><td></td></tr> </table>	NO.	DATE	DESCRIPTION	1			2			3			4			5			6			7			8			9			10		
NO.	DATE	DESCRIPTION																																	
1																																			
2																																			
3																																			
4																																			
5																																			
6																																			
7																																			
8																																			
9																																			
10																																			




GENERAL NOTES:

1. ALL WORK SHALL BE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE BUILDING CODES AND SPECIFICATIONS.
2. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS.
3. ALL MATERIALS AND WORKMANSHIP SHALL BE SUBJECT TO INSPECTION AND APPROVAL BY THE ARCHITECT.
4. THE CONTRACTOR SHALL MAINTAIN ACCESS TO ALL ADJACENT PROPERTIES AT ALL TIMES.
5. PROTECT ALL EXISTING UTILITIES AND STRUCTURES TO REMAIN.
6. ALL DIMENSIONS ARE UNLESS OTHERWISE SPECIFIED.
7. REFER TO DRAWING NO. [Illegible] FOR DETAILS.
8. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING UTILITIES AND STRUCTURES TO REMAIN.
9. ALL WORK SHALL BE COMPLETED WITHIN THE SPECIFIED TIME FRAME.
10. THE CONTRACTOR SHALL MAINTAIN A NEAT AND SAFE WORKING SITE AT ALL TIMES.



ANNEXURE - 1




TITLE:-


Existing Building for M L A ACADEMY OF
14 TH CROSS, MALLESWARAM, Bangalore-03

third FLOOR PLAN

TITLE:-
Existing Building for M L A ACADEMY OF




fourth FLOOR PLAN



TITLE:-
Existing Building for M. L. A. ACADEMY OF
14 TH CROSS, MALLESWARAM, Bangalore-03


Extended fourth FLOOR PLAN



TITLE:-


Existing Building for M L A ACADEMY OF
14 TH CROSS, MALLESWARAM, Bangalore-03

Extended third FLOOR PLAN



TITLE:-
Existing Building for M. L. A. ACADEMY OF HIGHER LEARNING
14 TH CROSS, MALLESWARAM, Bangalore-03


FIRST FLOOR PLAN



TITLE:-

Existing Building for M L A ACADEMY OF
14 TH CROSS, MALLESWARAM, Bangalore-03

second FLOOR PLAN



RUKKAMMA RAGHAVACHAR AUDITORIUM BLOCK

AUDITORIUM
108'0" x 72'0"

DIAS
35'0" x 20'0"

DRESS
28'0" x 20'0"

DRESS
28'0" x 20'0"

LOBBY
14'3" x 26'0"

ELECTRICAL
PANEL ROOM
14'0" x 12'0"

STOREROOM
18'0" x 12'0"

SCHEDULE OF OPENINGS

DOORS	ID	SIZE
DOORS	01	4'0" x 7'0"
DOORS	02	3'0" x 7'0"
DOORS	03	2'6" x 7'0"
Windows	01	6'0" x 5'0"
Windows	02	3'0" x 2'6"
Windows	03	6'0" x 2'6"
Windows	04	6'0" x 2'6"
Windows	05	6'0" x 2'6"
Windows	06	6'0" x 2'6"
Windows	07	6'0" x 2'6"
Windows	08	6'0" x 2'6"
Windows	09	6'0" x 2'6"
Windows	10	6'0" x 2'6"
Windows	11	6'0" x 2'6"
Windows	12	6'0" x 2'6"
Windows	13	6'0" x 2'6"
Windows	14	6'0" x 2'6"
Windows	15	6'0" x 2'6"
Windows	16	6'0" x 2'6"
Windows	17	6'0" x 2'6"
Windows	18	6'0" x 2'6"
Windows	19	6'0" x 2'6"
Windows	20	6'0" x 2'6"
Windows	21	6'0" x 2'6"
Windows	22	6'0" x 2'6"
Windows	23	6'0" x 2'6"
Windows	24	6'0" x 2'6"
Windows	25	6'0" x 2'6"
Windows	26	6'0" x 2'6"
Windows	27	6'0" x 2'6"
Windows	28	6'0" x 2'6"
Windows	29	6'0" x 2'6"
Windows	30	6'0" x 2'6"
Windows	31	6'0" x 2'6"
Windows	32	6'0" x 2'6"
Windows	33	6'0" x 2'6"
Windows	34	6'0" x 2'6"
Windows	35	6'0" x 2'6"
Windows	36	6'0" x 2'6"
Windows	37	6'0" x 2'6"
Windows	38	6'0" x 2'6"
Windows	39	6'0" x 2'6"
Windows	40	6'0" x 2'6"
Windows	41	6'0" x 2'6"
Windows	42	6'0" x 2'6"
Windows	43	6'0" x 2'6"
Windows	44	6'0" x 2'6"
Windows	45	6'0" x 2'6"
Windows	46	6'0" x 2'6"
Windows	47	6'0" x 2'6"
Windows	48	6'0" x 2'6"
Windows	49	6'0" x 2'6"
Windows	50	6'0" x 2'6"
Windows	51	6'0" x 2'6"
Windows	52	6'0" x 2'6"
Windows	53	6'0" x 2'6"
Windows	54	6'0" x 2'6"
Windows	55	6'0" x 2'6"
Windows	56	6'0" x 2'6"
Windows	57	6'0" x 2'6"
Windows	58	6'0" x 2'6"
Windows	59	6'0" x 2'6"
Windows	60	6'0" x 2'6"
Windows	61	6'0" x 2'6"
Windows	62	6'0" x 2'6"
Windows	63	6'0" x 2'6"
Windows	64	6'0" x 2'6"
Windows	65	6'0" x 2'6"
Windows	66	6'0" x 2'6"
Windows	67	6'0" x 2'6"
Windows	68	6'0" x 2'6"
Windows	69	6'0" x 2'6"
Windows	70	6'0" x 2'6"
Windows	71	6'0" x 2'6"
Windows	72	6'0" x 2'6"
Windows	73	6'0" x 2'6"
Windows	74	6'0" x 2'6"
Windows	75	6'0" x 2'6"
Windows	76	6'0" x 2'6"
Windows	77	6'0" x 2'6"
Windows	78	6'0" x 2'6"
Windows	79	6'0" x 2'6"
Windows	80	6'0" x 2'6"
Windows	81	6'0" x 2'6"
Windows	82	6'0" x 2'6"
Windows	83	6'0" x 2'6"
Windows	84	6'0" x 2'6"
Windows	85	6'0" x 2'6"
Windows	86	6'0" x 2'6"
Windows	87	6'0" x 2'6"
Windows	88	6'0" x 2'6"
Windows	89	6'0" x 2'6"
Windows	90	6'0" x 2'6"
Windows	91	6'0" x 2'6"
Windows	92	6'0" x 2'6"
Windows	93	6'0" x 2'6"
Windows	94	6'0" x 2'6"
Windows	95	6'0" x 2'6"
Windows	96	6'0" x 2'6"
Windows	97	6'0" x 2'6"
Windows	98	6'0" x 2'6"
Windows	99	6'0" x 2'6"
Windows	100	6'0" x 2'6"

TITLE:
RUKKAMMA RAGHAVACHAR
AUDITORIUM BLOCK AT M L A
INSTITUTION 14 TH CROSS,
MALLESWARAM
BANGALORE-560003

AREA STATEMENT
SITE AREA: 11650.00 SR
BUILTUP AREA: 8500.00 SR



HON. SECRETARY

Architect and Engineers

U M S Associates
Bangalore-57

SURESH B.T.
R.E. (CIVIL)

Reg. No. 8CC / BL - 3 2 3 / E - 2010 / 2000 - 01
T. Desarahailli, BANGALORE - 560 057.

4.1.1 - The Institution has adequate infrastructure and physical facilities for teaching-learning. viz., classrooms, laboratories, computing equipment, etc.



MLA Academy of Higher Learning Campus







Bengaluru, Karnataka, India
MLA Academy of Higher Learning Malleshwaram, 14th Cross
Road, Malleshwaram, Bengaluru, Karnataka 560003, India
Lat 13.0047°
Long 77.570246°
31/03/22 01:42 PM

Learning center 3



Bengaluru, Karnataka, India
MLA Academy of Higher Learning Malleshwaram, 14th Cross
Road, Malleshwaram, Bengaluru, Karnataka 560003, India
Lat 13.0047°
Long 77.570246°
31/03/22 01:43 PM

Learning center 3





Bengaluru, Karnataka, India
MLA Academy of Higher Learning Malleshwaram, 14th Cross
Road, Malleshwaram, Bengaluru, Karnataka 560003, India
Lat 13.0047°
Long 77.570246°
31/03/22 01:45 PM

GPS Map Camera


Learning center 5



Bengaluru, Karnataka, India
MLA Academy of Higher Learning Malleshwaram, 14th Cross
Road, Malleshwaram, Bengaluru, Karnataka 560003, India
Lat 13.0047°
Long 77.570246°
31/03/22 01:44 PM

GPS Map Camera

Learning center 5









Bengaluru, Karnataka, India

MLA Academy of Higher Learning Malleshwaram, 14th Cross Road, Malleshwaram, Bengaluru, Karnataka 560003, India

Lat 13.0047°

Long 77.570246°

31/03/22 01:56 PM

Learning center 9



Bengaluru, Karnataka, India

MLA Academy of Higher Learning Malleshwaram, 14th Cross Road, Malleshwaram, Bengaluru, Karnataka 560003, India

Lat 13.0047°

Long 77.570246°

31/03/22 01:56 PM

Learning center 9








11/5/2024 11:09 AM
77.570257° 13.004680°
861.300049°

T 3

14th cross Malleshwaram, Bengaluru, Karnataka 560003, India



GPS Map Camera
MLA Academy of Higher Learning Karnataka, India
14th cross Malleshwaram, Bengaluru, Karnataka 560003,
Long 77.570257°
Lat 13.004680°
11/5/2024 11:12 AM

T 4







Bengaluru, Karnataka, India

MLA Academy of Higher Learning Malleshwaram, 14th Cross Road, Malleshwaram, Bengaluru, Karnataka 560003, India
Lat 13.0047°
Long 77.570246°
31/03/22 02:02 PM

Seminar hall



Bengaluru, Karnataka, India

MLA Academy of Higher Learning Malleshwaram, 14th Cross Road, Malleshwaram, Bengaluru, Karnataka 560003, India
Lat 13.0047°
Long 77.570246°
31/03/22 02:02 PM

Seminar Hall



Seminar Hall



Computer Lab



UG Library Reading Room



PG Library



SJ Hall



Auditorium

Malleshwaram Ladies Association
Academy of Higher Learning (AHL)

List of Desktop Computers

Sr. No.	Location	Comp. ID	Mother Board	CPU	HDD	RAM	Optical Drive	PCU	K/B	Mouse	Monitor	Headphones	Connected Devices	Issues	OS	Status	User
1	AHL Admin Off	AHL OFF-1	Gigabyte H310 M	Intel Core i5-8400	480GB SSD	8GB DDR4	n/a	n/a	n/a	n/a	n/a	n/a	Canon G1010 Color Ink Tank Printer	n/a	Win10 pro	working	Staff
2	-	AHL OFF-2	Gigabyte H310 M	Intel Core i5-8400	480GB SSD	8GB DDR4	n/a	n/a	n/a	n/a	n/a	n/a	HP Scanjet G2410, HP Laserjet 1020	n/a	Win10 pro	working	Staff
3	-	AHL OFF-3	Gigabyte H310 M	Intel Core i5-8400	480GB SSD	8GB DDR4	n/a	n/a	n/a	n/a	n/a	n/a	HP Laserjet 1020	n/a	Win10 pro	working	Staff
4	-	AHL OFF-4	Gigabyte H310 M	Intel Core i5-8400	480GB SSD	8GB DDR4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Win10 pro	working	Staff
5	-	AHL OFF-5	Gigabyte H310 M	Intel Core i5-8400	480GB SSD	8GB DDR4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Win10 pro	working	Staff
6	-	AHL OFF-6	Intel DH61WW	Core i3 2100	1 TB SATA	4 GB DDR3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Win10 Pro	working	Librarian
7	AHL Staff room	AHL-STF-1	Intel DH61WW	Core i3 2100	120GB SSD	6 GB DDR3	LG	n/a	n/a	n/a	n/a	n/a	Epson L1110, HP Laserjet 1020	n/a	Win7 Pro	working	Staff
8	-	AHL-STF-2	Intel DH61WW	Core i3 2100	120GB SSD	6 GB DDR3	LG (nc)	n/a	MS RT2300	MS	VS VA1931wma	n/a	n/a	n/a	Win7 Pro	working	Staff
9	AHL Sports Room	AHL-STF-3	Intel DH61WW	Core i3 2100	120GB SSD	6 GB DDR3	LG	n/a	MS RT2300	MS	VS VA1931wma	n/a	n/a	n/a	Win7 Pro	working	Staff
10	AHL UG Lab	AHL-UG-LAB-1	Intel DH61WW	Core i3 3220	120 GB SSD,	4 GB DDR3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Win10 pro	working	Staff
11	-	AHL-UG-LAB-2	Intel DH61WW	Core i3 3220	500 GB SATA	4 GB DDR3	n/a	n/a	MS 200	Dell	VS VA2046A	n/a	n/a	n/a	Win10 pro	working	Staff
12	-	AHL-UG-LAB-3	Intel DH61WW	Core i3 2100	120 GB SSD	4 GB DDR3	LG (nc)	n/a	MS 200	MS	VS VA2046A	n/a	n/a	n/a	Win10 pro	working	Server
13	-	AHL-UG-LAB-4	Intel DH61WW	Core i3 3220	120 GB SSD	4 GB DDR3	LAN	n/a	MS RT2300	MS	VS VA1931wma	n/a	n/a	n/a	Win10 pro	working	Student
14	-	AHL-UG-LAB-5	Intel DH61WW	Core i3 3220	120 GB SSD	4 GB DDR3	n/a	n/a	MS RT2300	MS	VS VA1931wma	n/a	n/a	n/a	Win10 pro	working	Student
15	-	AHL-UG-LAB-6	Intel DH61WW	Core i3 3220	120 GB SSD	4 GB DDR3	n/a	n/a	Logitech K200	MS	VS VA1931wma	n/a	n/a	n/a	Win10 pro	working	Student
16	-	AHL-UG-LAB-7	Mercury PIG41U	Core 2 duo E7500	120 GB SSD	4 GB DDR3	n/a	n/a	MS RT2300	MS	VS VA1931wma	n/a	n/a	n/a	Win10 pro	working	Student
17	-	AHL-UG-LAB-8	Intel DH61WW	Core i3 3220	120 GB SSD	4 GB DDR3	n/a	n/a	MS RT2300	MS	VS VA1931wma	n/a	n/a	n/a	Win10 pro	working	Student
18	-	AHL-UG-LAB-9	Asus H61M-D	Core i3 2100	120 GB SSD	4 GB DDR3	n/a	n/a	MS RT2300	MS	VS VA1931wma	n/a	n/a	n/a	Win10 pro	working	Student
19	-	AHL-UG-LAB-10	Asrock G31M-VS	Pent. DC E5200	120 GB SSD	4 GB DDR3	LG	n/a	MS RT2300	MS	VS VA1931wma	n/a	n/a	n/a	Win10 pro	working	Student
20	-	AHL-UG-LAB-11	Intel DH61WW	Core i3 3220	120 GB SSD	4 GB DDR3	n/a	n/a	MS RT2300	MS	VS VA1931wma	n/a	n/a	n/a	Win10 pro	working	Student
21	-	AHL-UG-LAB-12	Intel DH61WW	Core i3 2100	120 GB SSD	4 GB DDR3	n/a	n/a	MS RT2300	MS	VS VA1931wma	n/a	n/a	n/a	Win10 pro	working	Student
22	-	AHL-UG-LAB-13	Intel DH61WW	Core i3 2100	120 GB SSD	4 GB DDR3	n/a	n/a	MS RT2300	MS	VS VA1931wma	n/a	VGA Splitter, Creative 2.0 speakers	n/a	Win10 pro	working	Student
23	-	AHL-UG-LAB-14	Intel DH61WW	Core i3 2100	120 GB SSD	4 GB DDR3	n/a	n/a	MS RT2300	MS	VS VA1931wma	Logitech	n/a	n/a	Win10 pro	working	Student
24	-	AHL-UG-LAB-15	Intel DH61WW	Core i3 2100	120 GB SSD	4 GB DDR3	n/a	n/a	MS RT2300	MS	VS VA1931wma	Logitech	n/a	n/a	Win10 pro	working	Student
25	-	AHL-UG-LAB-16	GB G41M-Combo	Core2 Duo E7500	120 GB SSD	4 GB DDR3	n/a	n/a	MS RT2300	MS	VS VA1931wma	Logitech	n/a	n/a	Win10 pro	working	Student
26	-	AHL-UG-LAB-17	Intel DH61WW	Core i3 2100	120 GB SSD	4 GB DDR3	n/a	n/a	MS RT2300	MS	VS VA1931wma	Logitech	n/a	n/a	Win10 pro	working	Student
27	-	AHL-UG-LAB-18	Intel DH61WW	Core i3 2100	120 GB SSD	4 GB DDR3	n/a	n/a	MS RT2300	MS	VS VA1931wma	Logitech	n/a	n/a	Win10 pro	working	Student
28	-	AHL-UG-LAB-19	Intel DH61WW	Core i3 2100	120 GB SSD	4 GB DDR3	n/a	n/a	MS RT2300	MS	VS VA1931wma	n/a	n/a	n/a	Win10 pro	working	Student
29	-	AHL-UG-LAB-20	Intel DH61WW	Core i3 2100	120 GB SSD	4 GB DDR3	n/a	n/a	MS RT2300	MS	VS VA1931wma	n/a	n/a	n/a	Win10 pro	working	Student
30	-	AHL-UG-LAB-21	Intel DH61WW	Core i3 2100	120 GB SSD	4 GB DDR3	n/a	n/a	MS RT2300	MS	VS VA1931wma	n/a	n/a	n/a	Win10 pro	working	Student
31	-	AHL-UG-LAB-22	Intel DH61WW	Core i3 2100	120 GB SSD	4 GB DDR3	n/a	n/a	MS RT2300	MS	VS VA1931wma	n/a	n/a	n/a	Win10 pro	working	Student
32	-	AHL-UG-LAB-23	Intel DH61WW	Core i3 2100	120 GB SSD	4 GB DDR3	n/a	n/a	MS RT2300	MS	VS VA1931wma	n/a	n/a	n/a	Win10 pro	working	Student
33	-	AHL-UG-LAB-24	Intel DH61WW	Core i3 2100	120 GB SSD	4 GB DDR3	n/a	n/a	MS RT2300	MS	VS VA1931wma	n/a	n/a	n/a	Win10 pro	working	Student
34	-	AHL-UG-LAB-25	Intel DH61WW	Core i3 2100	120 GB SSD	4 GB DDR3	n/a	n/a	MS RT2300	MS	VS VA1931wma	n/a	n/a	n/a	Win10 pro	working	Student
35	-	AHL-UG-LAB-26	Intel DH61WW	Core i3 2100	120 GB SSD	4 GB DDR3	n/a	n/a	MS RT2300	MS	VS VA1931wma	n/a	n/a	n/a	Win10 pro	working	Student
36	-	AHL-UG-LAB-27	Intel DH61WW	Core i3 2100	120 GB SSD	4 GB DDR3	n/a	n/a	MS RT2300	MS	VS VA1931wma	n/a	n/a	n/a	Win10 pro	working	Student
37	-	AHL-UG-LAB-28	Intel DH61WW	Core i3 2100	120 GB SSD	4 GB DDR3	n/a	n/a	MS RT2300	MS	VS VA1931wma	n/a	n/a	n/a	Win10 pro	working	Student
38	-	AHL-UG-LAB-29	Intel DH61WW	Core i3 2100	120 GB SSD	4 GB DDR3	n/a	n/a	MS RT2300	MS	VS VA1931wma	n/a	n/a	n/a	Win10 pro	working	Student
39	-	AHL-UG-LAB-30	Intel DH61WW	Core i3 2100	120 GB SSD	4 GB DDR3	n/a	n/a	MS RT2300	MS	VS VA1931wma	n/a	n/a	n/a	Win10 pro	working	Student
40	-	AHL-UG-LAB-31	Intel DH61WW	Core i3 2100	120 GB SSD	4 GB DDR3	n/a	n/a	MS RT2300	MS	VS VA1931wma	n/a	n/a	n/a	Win10 pro	working	Student
41	-	AHL-UG-LAB-32	Intel DH61WW	Core i3 2100	120 GB SSD	4 GB DDR3	n/a	n/a	MS RT2300	MS	VS VA1931wma	n/a	n/a	n/a	Win10 pro	working	Student
42	-	AHL-UG-LAB-33	Intel DH61WW	Core i3 2100	120 GB SSD	4 GB DDR3	n/a	n/a	MS RT2300	MS	VS VA1931wma	n/a	n/a	n/a	Win10 pro	working	Student
43	-	AHL-UG-LAB-34	Intel DH61WW	Core i3 2100	120 GB SSD	4 GB DDR3	n/a	n/a	MS RT2300	MS	VS VA1931wma	n/a	n/a	n/a	Win10 pro	working	Student
44	-	AHL-UG-LAB-35	Intel DH61WW	Core i3 2100	120 GB SSD	4 GB DDR3	n/a	n/a	MS RT2300	MS	VS VA1931wma	n/a	n/a	n/a	Win10 pro	working	Student



	AHL-BCA-12	Lenovo AIO 3	Core i3 11th Gen	500 GB SSD	8 GB DDR4	n/a	n/a	Lenovo w/l	Lenovo w/l	Lenovo 24" LED	n/a	n/a	n/a	working	Student		
	AHL-BCA-13	Lenovo AIO 3	Core i3 11th Gen	500 GB SSD	8 GB DDR4	n/a	n/a	Lenovo w/l	Lenovo w/l	Lenovo 24" LED	n/a	n/a	n/a	working	Student		
	AHL-BCA-14	Lenovo AIO 3	Core i3 11th Gen	500 GB SSD	8 GB DDR4	n/a	n/a	Lenovo w/l	Lenovo w/l	Lenovo 24" LED	n/a	n/a	n/a	working	Student		
104	AHL-IGAC Staff	AHL-IGAC-1	Lenovo AIO 3	Core i3 11th Gen	500 GB SSD	8 GB DDR4	n/a	Lenovo w/l	Lenovo w/l	Lenovo 24" LED	n/a	n/a	n/a	working	Staff		
105		AHL-IGAC-2	Lenovo AIO 3	Core i3 11th Gen	500 GB SSD	8 GB DDR4	n/a	Lenovo w/l	Lenovo w/l	Lenovo 24" LED	n/a	n/a	n/a	working	Staff		
106		AHL-IGAC-3	Lenovo AIO 3	Core i3 11th Gen	500 GB SSD	8 GB DDR4	n/a	Lenovo w/l	Lenovo w/l	Lenovo 24" LED	n/a	n/a	n/a	working	Staff		
107		AHL-IGAC-4	Lenovo AIO 3	Core i3 11th Gen	500 GB SSD	8 GB DDR4	n/a	Lenovo w/l	Lenovo w/l	Lenovo 24" LED	n/a	n/a	n/a	working	Staff		
108		AHL-IGAC-5	Lenovo AIO 3	Core i3 11th Gen	500 GB SSD	8 GB DDR4	n/a	Lenovo w/l	Lenovo w/l	Lenovo 24" LED	n/a	n/a	n/a	working	Staff		
109	Principal room	AHL-Principal	Lenovo AIO 3	Core i3 11th Gen	500 GB SSD	8 GB DDR4	n/a	Lenovo w/l	Lenovo w/l	Lenovo 24" LED	n/a	n/a	n/a	working	Staff		
110	AHL UG Library	AHL-UG-LIB-1	Intel DH61WW	Core i3 3220	500 GB SATA	6 GB DDR3	n/a	Lenovo w/l	Lenovo w/l	Lenovo 24" LED	n/a	n/a	n/a	working	Staff		
111		AHL-UG-LIB-2	Intel DH61WW	Core i3 3220	500 GB SATA	6 GB DDR3	LG	n/a	MS RT2300	M5	V5 VA1931wma	n/a	HP Laserjet 1020 Plus	n/a	Win10 Pro	working	Student
112		AHL-UG-LIB-3	Intel DH61WW	Core i3 3220	500 GB SATA	6 GB DDR3	LG	n/a	Logitech K100	M5	V5 VA1931wma	n/a	Honeywell Barcode Scanner	n/a	Win10 Pro	working	Student
113		AHL-UG-LIB-4	Intel DH61WW	Core i3 3220	500 GB SATA	6 GB DDR3	LG	n/a	MS RT2300	M5	V5 VA1931wma	n/a	HP Laserjet 1020 Plus, HP Scanner	n/a	Win10 Pro	working	Student
114		AHL-UG-LIB-5	Intel DH61WW	Core i3 3220	500 GB SATA	6 GB DDR3	LG (nc)	n/a	MS RT2300	M5	V5 VA1931wma	n/a	n/a	n/a	Win10 Pro	working	Student
115		AHL-UG-LIB-6	Intel DH61WW	Core i3 3220	500 GB SATA	6 GB DDR3	LG (nc)	n/a	MS RT2300	M5	V5 VA1931wma	n/a	n/a	n/a	Win7 Pro	working	Student
116		AHL-UG-LIB-7	Intel DH61WW	Core i3 3220	500 GB SATA	6 GB DDR3	LG	n/a	Logitech K100	M5	V5 VA1931wma	n/a	n/a	n/a	Win7 Pro	working	Student
117		AHL-UG-LIB-8	Intel DH61WW	Core i3 2100	500 GB SATA	6 GB DDR3	LG	n/a	MS RT2300	M5	V5 VA1931wma	n/a	n/a	n/a	Win7 Pro	working	Student
118		AHL-UG-LIB-9	Intel DH61WW	Core i3 2100	500 GB SATA	6 GB DDR3	LG	n/a	MS RT2300	M5	V5 VA1931wma	n/a	n/a	n/a	Win7 Pro	working	Student
119		AHL-UG-LIB-10	Intel DH61WW	Core i3 2100	500 GB SATA	6 GB DDR3	LG	n/a	MS RT2300	M5	V5 VA1931wma	n/a	n/a	n/a	Win10 Pro	working	Student
120		AHL-UG-LIB-11	GB H110M-S2	Core i5 6400	1TB, 128 GB SSD	16 GB DDR4	LG	n/a	MS RT2300	M5	V5 VA1931wma	n/a	n/a	n/a	Win10 Pro	working	Librarian
121	AHL PG Library	PG-LIB-1	Intel	Core i5 3450	1TB SATA	8 GB DDR3	LG	n/a	Dell KB2161	Dell	Dell E1916HV	n/a	n/a	n/a	Win10 Ent	working	Librarian
122		PG-LIB-2	Asus H61M-K	Core i3 3220	500GB SATA	6 GB DDR3	LG	LAN card	Dell KB112B	Dell	Dell E1914HF	n/a	HP Scanjet 200, HP Laserjet 1020 Plus, Honeywell Barcode Scanner, Enter 2.0 USB Speakers	n/a	Win10 Ent	working	staff
123		PG-LIB-3	Asus H61M-K	Core i3 3220	500GB SATA	6 GB DDR3	n/a	n/a	Dell KB112B	Dell	Dell E1914HF	n/a	Enter 2.0 USB Speakers	n/a	Win7	working	Student
124		PG-LIB-4	Asus H61M-K	Core i3 3220	500GB SATA	6 GB DDR3	n/a	n/a	Dell KB112B	Dell	Dell E1914HF	n/a	Enter 2.0 USB Speakers	n/a	Win7	working	Student
125		PG-LIB-5	Asus H61M-K	Core i3 3220	500GB SATA	6 GB DDR3	n/a	n/a	Dell KB112B	Dell	Dell E1914HF	n/a	Enter 2.0 USB Speakers	n/a	Win7	working	Student
126		PG-LIB-6	Asus H61M-K	Core i3 3220	500GB SATA	6 GB DDR3	n/a	n/a	Dell KB112B	Dell	Dell E1914HF	n/a	Enter 2.0 USB Speakers	n/a	Win7	working	Student
127		PG-LIB-7	Asus H61M-K	Core i3 3220	500GB SATA	6 GB DDR3	n/a	n/a	Dell KB112B	Dell	Dell E1914HF	n/a	Enter 2.0 USB Speakers	n/a	Win7	working	Student
128	PG Staff Room	PG Staff Room	DH61WW	Core i3 3220	120 GB SSD	4 GB DDR3	n/a	n/a	Dell KB112B	Dell	Dell E1914HF	n/a	Enter 2.0 USB Speakers	n/a	Win7	working	Student
129	AHL Business Lab	AHL-BSLAB-1	Intel DH61WW	Core i3 2100	120 GB SATA	4 GB DDR3	n/a	n/a	MS RT2300	M5	V5 VA1931WMA	n/a	Epson L3210 Color Ink Tank Printer, Epson L300 (not working)	n/a	Win7	working	Staff
130		AHL-BSLAB-2	GB G41MT-ES2L	Core 2 Duo E7500	120 GB SATA	4 GB DDR3	LG	n/a	MS RT2300	M5	V5 VA2046A	n/a	n/a	n/a	Win7 pro	working	Student
131		AHL-BSLAB-3	Intel DH61WW	Core i3 2100	120 GB SATA	4 GB DDR3	LG	n/a	MS RT2300	M5	V5 VA1931WMA	n/a	n/a	n/a	Win7 pro	working	Student
132		AHL-BSLAB-4	Intel DH61WW	Core i3 2100	120 GB SATA	4 GB DDR3	LG	n/a	MS RT2300	M5	V5 VA1931WMA	n/a	n/a	n/a	Win7 pro	working	Student
133		AHL-BSLAB-5	Intel DH61WW	Core i3 2100	120 GB SATA	4 GB DDR3	LG	n/a	Dell	M5	V5 VA1931WMA	n/a	n/a	n/a	Win10 pro	working	Student
134		AHL-BSLAB-6	Intel DH61WW	Core i3 3220	120 GB SATA	4 GB DDR3	LG	n/a	MS RT2300	M5	V5 VA1931WMA	n/a	n/a	n/a	Win7 Ult	working	Student




PRINCIPAL
 MALLANAHAM LADIES ASSOCIATION
 ACADEMY OF HIGHER LEARNING
 14th Cross, Malleswara
 Bangalore - 560 003

Location	Laptop ID	Model	CPU	HDD	RAM	Optical Drive	Screen	S/No.	OS	User	Status
AHL Admin Off	AHL-LAP-1	Compaq Presario	i3 M380 2.5GHz	240 GB SSD	6 GB DDR3			CNF1064810	Win 10 64 bit	Lecturers	Working
	AHL-LAP-2	Acer E1-571	i3 3110 2.4GHz	240 GB SSD	6 GB DDR3	Yes	15.6"	NXM09S104533002A343400	Win 10 64 bit	Lecturers	Working
	AHL-LAP-3	Acer E1-571	i3 3110 2.4GHz	240 GB SSD	6 GB DDR3	Yes	15.6"	NXM09S1045330033C33400	Win 10 64 bit	Lecturers	Working
	AHL-LAP-4	HP 2000 2128TU	i3 2328 2.2GHz	240 GB SSD	6 GB DDR3	Yes	15.6"	5CB2362WL2	Win 10 64 bit	Lecturers	Working
	AHL-LAP-5	HP 2000 2128TU	i3 2328 2.2GHz	240 GB SSD	6 GB DDR3	Yes	15.6"	5CB2360TRD	Win 10 64 bit	Lecturers	Working
	AHL-LAP-6	HP 2000 2128TU	i3 2328 2.2GHz	240 GB SSD	6 GB DDR3	Yes	15.6"	5CB23600QG	Win 10 64 bit	Lecturers	Working
	AHL-LAP-7	HP 2000 2128TU	i3 2328 2.2GHz	240 GB SSD	6 GB DDR3	Yes	15.6"	5CB2360TTC	Win 10 64 bit	Lecturers	Working
	AHL-LAP-8	HP 2000 2128TU	i3 2328 2.2GHz	240 GB SSD	6 GB DDR3	Yes	15.6"	5CB2360TVZ	Win 10 64 bit	Lecturers	Working

List of Printers

Sl. No.	Printer Details	Connected To	Location	Status
1	Canon G1010	AHL-OFF-1	AHL Admin Off	working
2	HP Laserjet 1020	AHL-OFF-2	AHL Admin Off	working
3	HP Laserjet 1020	AHL-OFF-3	AHL Admin Off	working
4	Canon L2400	AHL-OFF-6	AHL Admin Off	working
5	HP Laserjet 1020	AHL-STF-1	AHL Staff room	working
6	Epson L1110	AHL-STF-1	AHL Staff room	working
7	HP Laserjet 1020	AHL-UG-LAB-59	AHL UG Lab	working
8	HP Laserjet 1020	AHL-UG-LIB-1	AHL UG Library	working
9	HP Laserjet 1020	AHL-UG-LIB-3	AHL UG Library	working
10	HP Laserjet 1020	PG-LIB-1	PG Library	working
11	Epson L300	PG Staff Room	AHL PG Staff Room	idle
12	Epson L3210 AIO	PG Staff Room	AHL PG Staff Room	working

List of Scanners

Sl. No.	Scanner Details	Connected To	Location	Status
1	HP Scanjet G2410	AHL-OFF-2	AHL Admin Off	working
2	HP Scanjet Pro 2500 F	AHL-UG-LAB-59	AHL UG Lab	working
3	HP Scanjet 5590	AHL-UG-LIB-1	AHL UG Library	working
4	HP Scanjet 200	PG-LIB-1	AHL PG Library	working

List of Copier Machines

Sl. No.	Machine Details	Connected To	Location	Status
1	Kyocera TaskAlfa	Network	AHL Admin Off	working
2	Canon Image Runner 3300	Network	AHL UG Library	working

List of UPS / Batteries

S.No.	Particulars	Model	Units	Location	Status
1	Batteries	Luminous Inverlast ILT1224 100Ah	2 nos	AHL Admin Off	work
	UPS	Inverter	1 no.		
2	Batteries	Amaron Quanta 42Ah Batteries	30 nos.	AHL UG Lab	work
	UPS	Inverter	1 no.		
3	Batteries	Exide power safe plus EP-63-12 sealed	3 nos.	AHL UG Library	working
	UPS	Inverter	1 no.		



5	Lighting Inverter IET 1224 100Ah	2 nos	AHL PG Library	working
	Luminous Centre 2kva sine wave	1 no.	AHL PG Library	working
	Infost MKSE 1339 100Ah Tubular Bat	1 no.	AHL Staff room	working
	Infost ECS1050 12v 18VA 5/W UPS	1 no.	AHL Staff room	working

Networking LAN Switches

S.No.	Switch Particulars	Units	Location	Status
1	D-Link DGS-1016A 16 port LAN Switch	1	AHL Admin Office	working
2	D-Link 16 port switch	1	AHL Staff Room	working
3	D-Link 1024D 24 Port LAN Switch	3	AHL UG Laboratory	working
4	D-Link DES-1016D 16 Port LAN Switch	1	AHL UG Library	working
5	D-Link 16 Port LAN Switch	1	AHL PG Library	working
6	D-Link DES-1005C 5 Port LAN Switch	1	AHL Corridor for campus	working
7	D-Link DES-1005C 5 Port LAN Switch	1	AHL Corridor for campus	working
8	D-Link DES-1008C 8 Port LAN Switch	1	AHL Business Lab	working
9	D-Link Gigabit 24 port LAN Switch	1	AHL BCA Lab	working
10	D-Link Gigabit 16 port LAN Switch	1	AHL BCA Lab	working

List of Routers

S.No.	Particulars	Units	Location	Status
1	BSNL A0NT-100C Fibernet router	1	AHL Admin Office	working
2	BSNL A0NT-100C Fibernet router	1	AHL UG Library	working
3	BSNL A0NT-100C Fibernet router	1	AHL Computer Lab	working
4	Digisol DG-HR3400-IN	1	AHL Staff Room	working
5	TP-Link TL-WR840N Wifi Router	1	AHL Principal Room	working
6	ASUS RC-N12HP Wifi Router	1	AHL PG Staff Room	working
7	Deco M5 WiFi access points	3	AHL Corridor	working
8	Digisol Access Point Router	1	AHL PG Corridor	working
9	Unify Access Point Router	1	AHL PG Corridor	working
10	Deco M5 WiFi access points	3	NOT YET INSTALLED	

List of NAS Devices

S.No.	Particulars	Units	Location
1	Synology DS218J 2BAY NAS wit 8TB (4+4)	1	AHL Adm. Off

List of LED TVs

S.No.	Particulars	Units	Location
1	LG - 65UK6360PTE - s/no. 809PLY2039778	1	AHL Principal room
2	Phillips - BDL5530QL - s/no. AU0B1823000587	1	AHL Corridor

PPT Presenters

S.No.	Particulars	Units	Location
1	Logitech PPT Presenters	2	AHL Adm. Off

Projectors

S.No.	Particulars	Units	Location	Status
1	NEC NP-M230XG	1	AHL Lecture Center-1	working
2	Epson EB-X41	1	AHL Lecture Center-2/AVLab	working
3	NEC NP-M230XG	1	AHL Lecture Center-3	working
4	NEC NP-M230XG	1	AHL Lecture Center-4	working



S.No.	Particulars	Units	Location	Status
7	Epson EB-X41	1	AHL Lecture Center-6	working
8	Epson EB-X41	1	AHL Lecture Center-7	working
9	Epson EB-X41	1	AHL Lecture Center-8	working
10	ACER	1	AHL Lecture Center-9	working
11	NEC NP-M230XG	1	AHL Lecture Center-10	working
12	Epson EB-X41	1	AHL Lecture Center-11/IDAC Room	working
13	Epson EB-X31	1	AHL Computer Lab	working
14	Epson EB-X03	1	Seminar Hall	working
15	Acer	1	Standby	working
16	Acer	1	AHL BCA Block T-2	working
17	Epson W49	1	AHL BCA Block T-5	working
18	Epson EB-ED1	1	AHL BCA Computer Lab	working
			AHL BCA Block T-3	working

Smartboards

S.No.	Particulars	Units	Location	Status
1	Eyedis IX Smartboard	3	Old Block	working
2	Eyedis 8 series Smartboard	3	New Block	working

CCTV Details

DVR

S.No.	DVR Particulars	Units
1	Hikvision DVR - DS-7332HGH-SH S/No. 3220170210AAWR714613355WCVU	1

CCTV Monitor (TV)

S.No.	TV Particulars	Units
1	Micromax 40BFX60FHD	1

CCTV Cameras (FGCW Principal Room)

S.No.	Camera Location	Units
1	Class Rooms	11
2	Admin Office	1
3	Staff Room	1
4	Office Corridor	2
5	Computer Lab	2
6	PG Library	2
7	UG Library	3
8	4th Floor UG Library Corridor	1
9	4th Floor Auditorium outside area	1
10	PG Block Corridor	1
11	PG Block Staff Room	1
12	Auditorium (IP Cameras)	3
13	Seminar Hall	1
Total		30




 PRINCIPAL
 N.Y. ACADEMY OF HIGHER LEARNING
 14th Cross, 2nd Block, 2nd Stage
 Bangalore - 560 023